

## XP-DT325B

3" Direct Thermal Barcode printer

- Printing speed up to 127 mm (5") / s
- 8MB Flash Memory, 8MB SDRAM/MicroSD
- Employs a user-friendly double-wall clamshell design
- Built-in adaptor
- Head-up sensor / Gap sensor / Black mark sensor



Coffee Shop



Shopping




Mart



# XP-DT325B

Thermal Barcode Printer



Printing Features	
Resolution	203 DPI
Printing method	Direct Thermal
Max.print speed	127 mm (5") / s
Max.print width	80mm (3.15")
Max.print length	1778 mm (70")
Media	
Media type	Continuous, gap, black mark, fan-fold and punched hole
Media width	20 ~ 82 mm (0.78 " ~ 3.2 ")
Media thickness	0.06 ~ 0.20 mm
Media roll diameter	25.4 ~ 76.2 mm (1 " ~ 3 ")
Label length	10 ~ 1778 mm (0.39 " ~ 70 ")
Label roll capacity	80mm (3.15")
Performance Features	
Processor	32-bit CPU
Memory	8MB Flash Memory/8MB SDRAM
Interface	Standard:USB Optional:WIFI/Bluetooth
Sensors	Gap sensor Cover opening sensor Black mark sensor
Fonts/Graphics/Symbologies	
Internal fonts	8 alpha-numeric bitmap fonts, Windows fonts are downloadable from software
1D barcode	Code 39, Code 93, Code 128UCC, Code 128 , subsets A, B, C, Codabar, Interleaved 2 of 5, EAN-8, EAN-13, EAN-128, UPC-A, UPC-E, EAN and UPC 2(5) digits add-on, MSI, PLESSEY, POSTNET, China POST
2D barcode	PDF-417, Maxicode, DataMatrix, QR code
Rotation	0° / 90° / 180° / 270°
Emulation	TSPL / EPL / ZPL / DPL / ESC/POS
Physical Features	
Dimension	187(D) x 162(W) x146(H)mm
Weight	1.1 kg
Reliability	
Print head life	30 km
Software	
Driver	Windows/Linux/Mac
SDK	Windows/Android/iOS
Power supply	
Input	AC 100-240V, 50-60Hz
Output	DC 24V, 2.5A, 60W
Options	
Factory Options	① WIFI ② Bluetooth
Dealer Options	① External paper roll holder and 1 "paper roll ② Extension board for external paper roll holder ③ Shipment waybill box
Environmental Conditions	
Operation	5 ~ 40°C (41~104°F) , Humidity: 25 ~ 85% non-condensing
Storage environment	-40 ~ 60°C (-40~140°F) , Humidity:10 ~ 90% non-condensing



Scan QR code to checkout Xprinter website for more update information.  
Phone: (+86 756) 3895 852  
Http://www.xprintertech.com  
Email: overseas@xprinter.net

